

Une solution
adaptée...






















Références

RBE 06

Raccords standard

Raccords traversée de cloison

	Raccordement	Références	Standard	IA	IA/HPL	IA/HPG	IC	IC/HPI	Références
Filetage femelle									
	G 1/8	RBE 06.1100 	■	■	■	■	■	■	RBE 06.2100 
	G 1/4	RBE 06.1101 	■	■	■	■	■	■	RBE 06.2101 
	G 3/8	RBE 06.1102 	■	■	■	■	■	■	RBE 06.2102 
	G 1/2	RBE 06.1103	■	■	■	■	■	■	RBE 06.2103
	Rc 1/4	RBE 06.1111	■	■	■	■	■	■	RBE 06.2111
	NPT 1/8	RBE 06.1200	■	■	■	■	■	■	RBE 03.2200
	NPT 1/4	RBE 06.1201	■	■	■	■	■	■	RBE 06.2201
	NPT 3/8	RBE 06.1202	■	■	■	■	■	■	RBE 06.2202
	NPT 1/2	RBE 06.1203	■	■	■	■	■	■	RBE 06.2203
	UN 9/16 - 18 *	RBE 06.1314	■	■	■	■	■	■	RBE 06.2314
* suivant norme SAE J 1926									
Filetage mâle									
	G 1/8	RBE 06.1150 	■	■	■	■	■	■	RBE 06.2150 
	G 1/4	RBE 06.1151 	■	■	■	■	■	■	RBE 06.2151 
	G 3/8	RBE 06.1152 	■	■	■	■	■	■	RBE 06.2152 
	G 1/2	RBE 06.1153	■	■	■	■	■	■	RBE 06.2153
	NPT 1/8	RBE 06.1250	■	■	■	■	■	■	RBE 06.2250
	NPT 1/4	RBE 06.1251	■	■	■	■	■	■	RBE 06.2251
	NPT 3/8	RBE 06.1252	■	■	■	■	■	■	RBE 06.2252
NPT 1/2	RBE 06.1253	■	■	■	■	■	■	RBE 06.2253	
Pour tuyau caoutchouc									
	Ø 6 mm	RBE 06.1806	■	■			■		RBE 06.2806
	Ø 8 mm	RBE 06.1808	■	■			■		RBE 06.2808
	Ø 10 mm	RBE 06.1810	■	■			■		RBE 06.2810
	Ø 13 mm	RBE 06.1813	■	■			■		RBE 06.2813
Pour tube plastique									
	Ø 6/8 mm	RBE 06.1906	■	■			■		RBE 06.2906
	Ø 8/10 mm	RBE 06.1908	■	■			■		RBE 06.2908
Pour tube cuivre									
	Ø 6/8 mm	RBE 06.1706	■	■			■		RBE 06.2706
	Ø 8/10 mm	RBE 06.1708	■	■			■		RBE 06.2708
Pour tube inox calibré* (union double bague) suivant normes ISO 1127 classe D4 et ASTM A 269 classe 1 (instruction de montage RV1300100)									
	Ø 6 mm ext.	RBE 06.1766	■	■	■	■	■	■	RBE 06.2766
	Ø 8 mm ext.	RBE 06.1768	■	■	■	■	■	■	RBE 06.2768
	Ø 10 mm ext.	RBE 06.1770	■	■	■	■	■	■	RBE 06.2770
	Ø 1/4" ext.	RBE 06.1753	■	■	■	■	■	■	RBE 06.2753
	Ø 3/8" ext.	RBE 06.1755	■	■	■	■	■	■	RBE 06.2755
	Ø 1/2" ext.	RBE 06.1756	■	■	■	■	■	■	RBE 06.2756
Profil clamp issu des normes ISO 2852 et DIN 32676									
	Ø 25 mm	RBE 06.1025						■	
	Ø 34 mm	RBE 06.1034						■	
	Ø 50 mm	RBE 06.1050						■	