


Plaque de protection Type GD



Code de commande


Plaque de protection ***GD*1D*W3**

* Plaque de protection	GD
* Module STAUFF	1D
* Matière	Acier traité zinc/nickel W3
	Acier inox V2A W4
	1.4301 / 1.4305 (AISI 304 / 303) W4
	Acier inox V4A W5
	1.4401 / 1.4571 (AISI 316 / 316 Ti) W5

Module STAUFF	DIN	Dimensions (mm/in)					Exemples de commande (standard)
		L	B	H	S	ØD	
1D	1	34	30	7	3	7	GD 1D W3
		1.34	1.18	.28	.12	.28	
2D	2	52	30	7	3	9	GD 2D W3
		2.05	1.18	.28	.12	.35	
3D	3	65	30	7	3	9	GD 3D W3
		2.56	1.18	.28	.12	.35	
4D	4	79	30	7	3	9	GD 4D W3
		3.11	1.18	.28	.12	.35	
5D	5	102	30	7	3	9	GD 5D W3
		4.02	1.18	.28	.12	.35	

Autres matières et traitements de surface sur demande. Merci de vous adresser à STAUFF.

Vis à tête hexagonale Type AS



Vis à tête hexagonale AS

(selon DIN 931 / 933 ou ANSI / ASME B18.2.1.)

Dimensions pour utilisation avec une plaque de protection GD.

Code de commande

Vis à tête hexagonale ***AS*1D*M*W3**

* Type de vis	Vis à tête hexagonale (selon DIN 931 / 933 ou ANSI / ASME B18.2.1.)	AS
* Module STAUFF		1D
* Filetage	Filetage métrique ISO	M
	Filetage UNC	U
* Matière	Acier traité zinc/nickel	W3
	Acier inox V2A	W4
	1.4301 / 1.4305 (AISI 304 / 303)	W4
	Acier inox V4A	W5
	1.4401 / 1.4571 (AISI 316 / 316 Ti)	W5

Module STAUFF	DIN	Dimensions (mm/in)		Exemples de commande (standard)
		Filetage G x L		
1D	1	M6 x 35		AS 1D M W3
		1/4-20 UNC x 1-3/8		AS 1D U W3
2D	2	M8 x 35		AS 2D M W3
		5/16-18 UNC x 1-3/8		AS 2D U W3
3D	3	M8 x 45		AS 3D M W3
		5/16-18 UNC x 1-3/4		AS 3D U W3
4D	4	M8 x 50		AS 4D M W3
		5/16-18 UNC x 2		AS 4D U W3
5D	5	M8 x 60		AS 5D M W3
		5/16-18 UNC x 2-1/2		AS 5D U W3

Toutes les pièces filetées sont livrables avec filetage métrique ISO ou UNC sur demande (cf. tableau des dimensions).
Autres matières et traitements de surface sur demande. Merci de vous adresser à STAUFF.